

Student ID _____

Name _____

TA Name _____

KZY

page points:

2 _____ (20)

3 _____ (19)

4 _____ (24)

5 _____ (22)

6 _____ (15)

Total _____ (100)

Periodic Table

H																				He
Li	Be																			
Na	Mg																			
K	Ca	Sc	Ti	V	Cr	Mn	Fe	Co	Ni	Cu	Zn	Ga	Ge	As	Se	Br	Kr			
Rb	Sr	Y	Zr	Nb	Mo	Tc	Ru	Rh	Pd	Ag	Cd	In	Sn	Sb	Te	I	Xe			
Cs	Ba	La	Ha	Ta	W	Re	Os	Ir	Pt	Au	Hg	Tl	Pb	Bi	Po	At	Rn			
Fr	Ra	Ac																		

Please sit with an empty seat between you and your neighbors.

Please silence your cell phones and keep them in your bags during exam.

You may use molecular models. Please bring them in transparent bags.


Feel free to ask questions about the questions, but please don't ask questions about your answers, it distracts your neighbors.

1. Draw the best Lewis structure for each species shown below. Lone pairs and formal charges must be included. (10 pts).


a) ozone O₃




b) sodium carbonate Na₂CO₃




c) sulfite ion SO₃²⁻



d) nitromethane CH₃NO₂



e) tetrafluoroborate ion BF₄⁻



2. Provide the shape of the following species and hybridization of the central atom. (10 pts)

a) SO₄²⁻

tetrahedral

b) SiCl₄

tetrahedral

c) N₂O

linear

d) BF₃

trigonal planar

e) NH₃


trigonal pyramidal

3. Provide all constitutional isomers for alkane C₆H₁₄ using bond-line formulas. (10 pts)




4. Provide the IUPAC names of the following structures and circle all tertiary carbons (9 pts)

a)



2, 3 - dimethylpentane

b)



3, 3, 5 - trimethylheptane

c)



1, 3 - diethyl - 2 - methylcyclopentane

5. Draw the structure of the following molecules and circle all quaternary carbons (6 pts).





a) 3-methyl-4,4-diethyloctane



b) 1,1-dimethyl-3-ethylcyclohexane





6. Draw the energy diagram as the dihedral angle (θ) of the indicated carbon-carbon bond of 1-iodopropane varies from 0° (as shown) to 360° . Draw appropriate Newman projections for conformations whose dihedral angles are 60° , 120° , 180° , 240° , 300° , and 360° . Please note that iodine has a similar Van der Waals radius as a methyl group (20 pts)





7. Draw the best resonance structure of the following species. Indicate the movement of electrons between resonance structures using the curved arrow notation. (12 pts)



a)



b)



c)



8. For each of the following series of acids, rank them according to their pKa values from high to low (10 pts).




a) H₂O, NH₃, HF, CH₄

pKa value: CH₄ > NH₃ > H₂O > HF

b) H₂O, CH₃SH, CH₃SH₂⁺

H₂O > CH₃SH > CH₃SH₂⁺


c)




CH₃CH₂COOH > CH₃CF₂COOH > CH₃C(F)₂COOH

9. Provide the products of each of the following reactions based on the curved arrow notations (9 pts).


a)




b)



c)



10. Draw the missing arrows based on the starting materials and products of each reaction (6 pts).



b)

