

CHEM 3331, Professor M. Walczak, Spring 2015
Second hour exam, March 10th, 2015

Printed Name: _____

Student ID: _____

Recitation TA: _____

Recitation Day and Time: _____

Signature: _____

1. _____ / 15

2. _____ / 20

3. _____ / 20

4. _____ / 20

5. _____ / 10

6. _____ / 15

Total: _____ / 100

This is a closed-book exam. You are not allowed to use molecular models, lecture notes, personal class notes, textbooks, and electronic copies of the above materials on mobile devices. Use the backs of the pages for scratch notes.

Honor Code: All students of the University of Colorado at Boulder are responsible for knowing and adhering to the academic integrity policy of this institution. Violations of this policy may include: cheating, plagiarism, aid of academic dishonesty, fabrication, lying, bribery, and threatening behavior. Students who are found to be in violation of the academic integrity policy will be subject to both academic sanctions from the faculty member and non-academic sanctions (including but not limited to university probation, suspension, or expulsion).

hydrogen 1 H 1.0079																	helium 2 He 4.0026						
lithium 3 Li 6.941	beryllium 4 Be 9.0122																	boron 5 B 10.811	carbon 6 C 12.011	nitrogen 7 N 14.007	oxygen 8 O 15.999	fluorine 9 F 18.998	neon 10 Ne 20.180
sodium 11 Na 22.990	magnesium 12 Mg 24.305																	aluminum 13 Al 26.982	silicon 14 Si 28.086	phosphorus 15 P 30.974	sulfur 16 S 32.065	chlorine 17 Cl 35.453	argon 18 Ar 39.948
potassium 19 K 39.098	calcium 20 Ca 40.078	scandium 21 Sc 44.956	titanium 22 Ti 47.867	vanadium 23 V 50.942	chromium 24 Cr 51.996	manganese 25 Mn 54.938	iron 26 Fe 55.845	cobalt 27 Co 58.933	nickel 28 Ni 58.693	copper 29 Cu 63.546	zinc 30 Zn 65.39	gallium 31 Ga 69.723	germanium 32 Ge 72.61	arsenic 33 As 74.922	selecnium 34 Se 78.96	bronine 35 Br 79.904	krypton 36 Kr 83.80						
rubidium 37 Rb 85.468	strontium 38 Sr 87.62	yttrium 39 Y 88.906	zirconium 40 Zr 91.224	niobium 41 Nb 92.906	molybdenum 42 Mo 95.94	technetium 43 Tc [98]	ruthenium 44 Ru 101.07	rhodium 45 Rh 102.91	palladium 46 Pd 106.42	silver 47 Ag 107.87	cadmium 48 Cd 112.41	indium 49 In 114.82	tin 50 Sn 118.71	antimony 51 Sb 121.76	tellurium 52 Te 127.60	iodine 53 I 126.90	xenon 54 Xe 131.29						
caesium 55 Cs 132.91	barium 56 Ba 137.33	57-70 *	lutetium 71 Lu 174.97	hafnium 72 Hf 178.49	tantalum 73 Ta 180.95	tungsten 74 W 183.84	rhenium 75 Re 186.21	osmium 76 Os 190.23	iridium 77 Ir 192.22	platinum 78 Pt 195.08	gold 79 Au 196.97	mercury 80 Hg 200.59	thallium 81 Tl 204.38	lead 82 Pb 207.2	bismuth 83 Bi 208.98	polonium 84 Po [209]	astatine 85 At [210]	radon 86 Rn [222]					
francium 87 Fr [223]	radium 88 Ra [226]	89-102 * *	lawrencium 103 Lr [262]	rutherfordium 104 Rf [261]	dubnium 105 Db [262]	seaborgium 106 Sg [266]	bohrium 107 Bh [264]	hassium 108 Hs [269]	meitnerium 109 Mt [269]	ununium 110 Uun [271]	ununium 111 Uuu [272]	ununium 112 Uub [277]	ununium 114 Uuq [289]										

* Lanthanide series


lanthanum 57 La	cerium 58 Ce	praseodymium 59 Pr	neodymium 60 Nd	promethium 61 Pm	samarium 62 Sm	europium 63 Eu	gadolinium 64 Gd	terbium 65 Tb	dysprosium 66 Dy	holmium 67 Ho	erbium 68 Er	thulium 69 Tm	ytterbium 70 Yb
138.91	140.12	140.91	144.24	[145]	150.36	151.96	157.25	158.93	162.50	164.93	167.26	168.93	173.04

** Actinide series


actinium 89 Ac	thorium 90 Th	protactinium 91 Pa	uranium 92 U	neptunium 93 Np	plutonium 94 Pu	americium 95 Am	curium 96 Cm	berkelium 97 Bk	californium 98 Cf	einsteinium 99 Es	fermium 100 Fm	mendelevium 101 Md	nobelium 102 No
[227]	232.04	231.04	238.03	[237]	[244]	[243]	[247]	[247]	[251]	[252]	[257]	[258]	[259]

1.


(a) Please circle the most reactive compound in an *electrophilic* aromatic substitution reaction (3 points).




(b) Please circle the most reactive compound in a *nucleophilic* aromatic substitution reaction (3 points).



(c) Specify if you expect the benzene ring in the following compounds to be activated or deactivated (4 points).




(d) Which scheme is the correct representation of the Heck reaction (5 points)?




2. Provide a reasonable synthesis of the following two compounds using provided starting materials. More than one step may be required to complete the synthesis (20 points).





(a)



(b)




3. Which reagents will accomplish the following transformations (4 points each, 20 points total)?




4. What are the major products in the following reactions? If you expect to obtain a mixture of isomers, indicate the major product (4 points each, 20 points total).


(a)




(b)




(c)




(d)



(e)



5. Provide a reasonable synthesis of the following aromatic compound starting from benzene. Please note that you may need more than one step to obtain the expected product (10 points).




6. In the following questions, please circle only the correct answer (3 points each, 15 points total):

(a) Among the following choices, the group that *activates* the benzene ring toward electrophilic aromatic substitution reactions is:

- (a) $-\text{CF}_3$ (b) $-\text{NO}_2$ (c) $-\text{CO}_2\text{H}$ (d) $-\text{NH}_2$ (e) $-\text{Br}$


(b) The intermediate cation **A** in the following sequence $\text{C}_6\text{H}_6 + \text{E}^+ \rightarrow \mathbf{A} \rightarrow \text{C}_6\text{H}_5\text{E} + \text{H}^+$ is best shown as:



(c) As compared to regular alcohols, phenols are:

- (a) less acidic (b) more acidic (d) similar acidity (e) depends on the base used

(d) In the following reaction, the expected product will have the following structure:



(e) Which of the following statements about acetals is *incorrect*:

- (a) can be formed under acidic conditions; (b) undergo reactions with Grignard reagents;
 (c) can be converted into ketones/aldehydes; (d) their formation is reversible