CHEM 3331, Professor M. Walczak, Spring 2015 First hour exam, February 10th, 2015

Printed Name:		
Student ID:		Recitation TA:
Recitation Day ar	nd Time:	Signature:
1 2.		This is a closed-book exam. You are not allowed to use molecular models, lecture notes, personal class notes, textbooks, and electronic copies of the above materials on
3		mobile devices. Use the backs of the pages for scratch notes. Honor Code: All students of the University of Colorado at Boulder are responsible for knowing and adhering to the goodenic integrity policy of this institution. Violations of this
4	/ 27	academic integrity policy of this institution. Violations of this policy may include: cheating, plagiarism, aid of academic dishonesty, fabrication, lying, bribery, and threatening behavior. Students who are found to be in violation of the academic
5	/13	integrity policy will be subject to both academic sanctions from the faculty member and non-academic sanctions (including but not limited to university probation, suspension, or expulsion).
Total:	/ 100	

hydrogen 1	g (500)																	helium 2 He
1.0079 lithium	beryllium	i											boron	earbon	nitrogen	0101400	fluorine	4.0026 neon
3	4												5	6	7	oxygen 8	9	10
Li	Be												B	C	N	0	F	Ne
6.941	9,0122												10.811	12.011	14.007	15.999	18,998	20,180
sodium	magnesium												aluminium	silicon	phosphorus	sulfur	chlorine	argon
11	12												13	14	15	16	17	18
Na	Mg												Al	Si	Р	S	CI	Ar
22.990	24.305												26.982	28.086	30.974	32.065	35.453	39.948
potassium 19	calcium 20		scandium 21	titanium 22	vanadium 23	chromium 24	manganese 25	iron 26	cobalt 27	nickel 28	copper 29	zinc 30	gallium 31	germanium 32	arsenic 33	selenium 34	bromine 35	krypton 36
IZ.				Τi							•	_						
n	Ca		Sc		V	Cr	Mn	Fe	Co	Ni	Cu	Zn	Ga	Ge	As	Se	Br	Kr
39.098 rubidium	40.078 strontium		44.956 yttrium	47.867 zirconium	50.942 niobium	51,996 molybdenum	54.938 technetium	55,845 ruthenium	58,933 rhodium	58.693 palladium	63.546 silver	65.39 cadmium	69.723 indium	72.61 tin	74.922 antimony	78,96 tellurium	79.904 iodine	83.80 xenon
37	38		39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54
Rb	Sr		Υ	Zr	Nb	Мо	Tc	Ru	Rh	Pd	Ag	Cd	In	Sn	Sb	Te	I	Xe
85.468 caesium	87.62 barium		88.906 lutetium	91,224 hafnium	92.906 tantalum	95.94 tungsten	[98] rhenium	101.07	102.91 iridium	106.42 platinum	107.87 gold	112.41	114.82 thallium	118.71 lead	121.76 bismuth	127.60 polonium	126.90 astatine	131.29 radon
55	56	57-70	71	72	73	74	75	osmium 76	77	78	79	mercury 80	81	82	83	84	85	86
Cs	Ba	*	Lu	Hf	Ta	W	Re	Os	Ir	Pt	Au	Hg	TI	Pb	Bi	Po	At	Rn
132.91	137.33		174.97	178.49	180.95	183.84	186.21	190.23	192.22	195.08	196.97	200.59	204.38	207.2	208.98	[209]	[210]	[222]
francium 87	radium 88	89-102	lawrencium 103	rutherfordium 104	dubnium 105	seaborgium 106	bohrium 107	hassium 108	meitnerium 109	ununnilium 110	unununium 111	ununbium 112		ununquadium 114				
Er	Ra	* *	2,310,000	Rf	Db	Sg	Bh	Hs	Mt	Hum	Uuu			Uuq				
	Nd	V X	Lr		UD	Ju		П	IVIL	oun	uuu	uub		oud				
[223]	[226]		[262]	[261]	[262]	[266]	[264]	[269]	[268]	[271]	[272]	[277]		[289]				

*	La	nt	ha	ni	de	seri	es

^{* *} Actinide series

	lanthanum 57	cerium 58	praseodymium 59	neodymium 60	promethium 61	samarium 62	europium 63	gadolinium 64	terbium 65	dysprosium 66	holmium 67	erbium 68	thulium 69	ytterbium 70
ı	La	Ce	Pr	Nd	Pm	Sm	Eu	Gd	Tb	Dy	Но	Er	Tm	Yb
ı	138.91	140.12	140.91	144.24	[145]	150.36	151.96	157.25	158.93	162.50	164.93	167.26	168.93	173.04
- [actinium	thorium	protactinium	uranium	neptunium	plutonium	americium	curium	berkelium	californium	einsteinium	fermium	mendelevium	nobelium
ı	89	90	91	92	93	94	95	96	97	98	99	100	101	102
ı	Ac	Th	Pa	U	Np	Pu	Am	Cm	Bk	Cf	Es	Fm	Md	No
ı	[227]	232.04	231.04	238.03	[237]	[244]	[243]	12471	[247]	[251]	[252]	[257]	[258]	[259]

1

(a) Please circle the compounds, which you expect to be aromatic.














(b) Circle the compound, which is expected to be more stable. Provide a brief explanation for your choices.

(i)






(ii)



(iii)



or



2.

(a) Please circle the compound, which will react *faster* with methyl acrylate. Provide a brief rationale for your choice.

(b) Please predict the expected products in the following Diels-Alder reactions. Clearly indicate the stereochemistry of all relevant atoms. If a racemate is formed, show only one enantiomer.

(iii)
$$CO_2CH_3$$
 $+$ CO_2CH_3 CO_2CH_3

3. Please provide systematic names for the following compounds. Only one answer is correct.

(a) (a) 3-iodoaniline

(b) 5-iodophenol

(c) 3-iodophenol

(d) 5-iodoaniline

(e) 5-iodoanisole

(b)

 CH_3

(a) 2,4-dimethylaniline

(b) 4,6-dimethylaniline

(c) *m*-dimethylaniline

(d) 2,4-dimethylanisole

(e) 2,4-dimethyltoluene

(c)

(a) acylium ion

(b) nitronium ion

(c) nitrate ion

(d) carbocation

(e) nitrogen dioxide

 H_3C

(d)

(a) o-diphenylbenzene

(b) *m*-diphenylbenzene

(c) p-diphenybenzene

(d) *m*-dibenzylbenzene


(e) p-diphenylbenzyl

4.

(a) For the following reactions, draw structures of the expected products.

(i)

(ii)



(b) Propose reagents to complete the following reactions using the starting materials provided below. Note that you may require more than one step to complete the synthesis.



5. Please draw a detailed mechanism for the reduction of 2-butyne with Na/NH_3 . Please make sure you draw all important intermediates and use correct arrow notation to indicate the movement of electrons.

