

## SAFETY DATA SHEET

Version 6.2  
Revision Date 01/15/2020  
Print Date 07/30/2022**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifiers**

Product name : Bromobenzene

Product Number : B57702

Brand : Aldrich

Index-No. : 602-060-00-9

CAS-No. : 108-86-1

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified uses : Laboratory chemicals, Synthesis of substances

**1.3 Details of the supplier of the safety data sheet**

Company : Sigma-Aldrich Inc.  
3050 SPRUCE ST  
ST. LOUIS MO 63103  
UNITED STATES

Telephone : +1 314 771-5765

Fax : +1 800 325-5052

**1.4 Emergency telephone number**

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)**

Flammable liquids (Category 3), H226  
Skin irritation (Category 2), H315  
Short-term (acute) aquatic hazard (Category 2), H401  
Long-term (chronic) aquatic hazard (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

**2.2 GHS Label elements, including precautionary statements**

Pictogram



Signal word

Warning

|                            |   |
|----------------------------|---|
| Hazard statement(s)        |   |
| H226                       | Flammable liquid and vapour.  |
| H315                       | Causes skin irritation.   |
| H411                       | Toxic to aquatic life with long lasting effects.  |
| Precautionary statement(s) |   |
| P210                       | Keep away from heat/sparks/open flames/hot surfaces. No smoking.                                    |
| P233                       | Keep container tightly closed.  |
| P240                       | Ground/bond container and receiving equipment.  |
| P241                       | Use explosion-proof electrical/ ventilating/ lighting equipment.                                    |
| P242                       | Use only non-sparking tools.  |
| P243                       | Take precautionary measures against static discharge.   |
| P264                       | Wash skin thoroughly after handling.  |
| P273                       | Avoid release to the environment.   |
| P280                       | Wear protective gloves/ eye protection/ face protection.  |
| P303 + P361 + P353         | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. |
| P332 + P313                | If skin irritation occurs: Get medical advice/ attention.   |
| P362                       | Take off contaminated clothing and wash before reuse.   |
| P370 + P378                | In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.                |
| P391                       | Collect spillage.   |
| P403 + P235                | Store in a well-ventilated place. Keep cool.  |
| P501                       | Dispose of contents/ container to an approved waste disposal plant.                                 |

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

|                  |                                    |
|------------------|------------------------------------|
| Formula          | : C <sub>6</sub> H <sub>5</sub> Br |
| Molecular weight | : 157.01 g/mol                     |
| CAS-No.          | : 108-86-1                         |
| EC-No.           | : 203-623-8                        |
| Index-No.        | : 602-060-00-9                     |

| Component           | Classification  | Concentration |
|---------------------|---|---------------|
| <b>Bromobenzene</b> | Flam. Liq. 3; Skin Irrit. 2; Aquatic Acute 2; Aquatic Chronic 2; H226, H315, H401, H411 | <= 100 %      |

For the full text of the H-Statements mentioned in this Section, see Section 16.

---

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Dry powder Dry sand

#### Unsuitable extinguishing media

Do NOT use water jet.

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides, Hydrogen bromide gas

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

Use water spray to cool unopened containers.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

## 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

## 6.4 Reference to other sections

For disposal see section 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage class (TRGS 510): 3: Flammable liquids

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

### 8.2 Exposure controls

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### Personal protective equipment

##### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

##### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Fluorinated rubber

Minimum layer thickness: 0.7 mm

Break through time: 480 min  
Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M)

Splash contact  
Material: Fluorinated rubber  
Minimum layer thickness: 0.7 mm  
Break through time: 480 min  
Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### **Body Protection**

Impervious clothing, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### **Control of environmental exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

---

## **SECTION 9: Physical and chemical properties**

### **9.1 Information on basic physical and chemical properties**

- |  |  |
|--|--|
| a) Appearance                              | Form: liquid, clear<br>Colour: colourless            |
| b) Odour                                   | aromatic   |
| c) Odour Threshold                         | No data available                                    |
| d) pH                                      | No data available                                    |
| e) Melting point/freezing point            | Melting point: -30.73 °C (-23.31 °F) at 1,013.25 hPa |
| f) Initial boiling point and boiling range | 156.2 °C 313.2 °F at 1,013.25 hPa                    |
| g) Flash point                             | 51.0 °C (123.8 °F) - closed cup                      |
| h) Evaporation rate                        | No data available                                    |
| i) Flammability (solid, gas)               | No data available                                    |
| j) Upper/lower                             | Upper explosion limit: 2.5 %(V)                      |

|   |   |
|---|---|
| flammability or explosive limits          | Lower explosion limit: 0.5 %(V)   |
| k) Vapour pressure                        | 13.3 hPa at 40.0 °C (104.0 °F)<br>5.3 hPa at 25.0 °C(77.0 °F)<br>9.97 hPa at 35 °C(95 °F) |
| l) Vapour density                         | No data available   |
| m) Relative density                       | 1.49 g/cm <sup>3</sup> at 20 °C (68 °F)   |
| n) Water solubility                       | 384 g/l at 25 °C (77 °F)  |
| o) Partition coefficient: n-octanol/water | log Pow: 3.14 at 25 °C (77 °F) - Bioaccumulation is not expected.                         |
| p) Auto-ignition temperature              | 565 °C (1049 °F) at 1,013.25 hPa  |
| q) Decomposition temperature              | No data available   |
| r) Viscosity                              | No data available   |
| s) Explosive properties                   | No data available   |
| t) Oxidizing properties                   | No data available   |

## 9.2 Other safety information

|                 |                          |
|-----------------|--------------------------|
| Surface tension | 36 mN/m at 20 °C (68 °F) |
|-----------------|--------------------------|

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No data available

### 10.4 Conditions to avoid

Heat, flames and sparks.

### 10.5 Incompatible materials

Strong oxidizing agents

### 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Hydrogen bromide gas

Other decomposition products - No data available

In the event of fire: see section 5

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - male - 2,383 mg/kg

Remarks: (ECHA)

LC50 Inhalation - Rat - 20.4 mg/l

Remarks: (RTECS)

Dermal: No data available

No data available

#### Skin corrosion/irritation

Skin - Rabbit

Result: Irritating to skin. - 4 h

(OECD Test Guideline 404)

#### Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation - 24 h

(OECD Test Guideline 405)

#### Respiratory or skin sensitisation

No data available

#### Germ cell mutagenicity

Ames test

S. typhimurium

Result: negative

#### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

#### Reproductive toxicity

No data available

#### Specific target organ toxicity - single exposure

No data available

Acute oral toxicity - Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract., Aspiration may cause pulmonary oedema and pneumonitis.

Acute inhalation toxicity - Inhalation may lead to the formation of oedemas in the respiratory tract.

#### Specific target organ toxicity - repeated exposure

No data available

#### Aspiration hazard

No data available

#### Additional Information

RTECS: Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Kidney -

---

## SECTION 12: Ecological information

### 12.1 Toxicity

|   |  |
|---|--|
| Toxicity to fish                                    | LC50 - Pimephales promelas (fathead minnow) - 5.6 mg/l - 96 h<br>Remarks: (ECOTOX Database)  |
| Toxicity to daphnia and other aquatic invertebrates | EC50 - Daphnia magna (Water flea) - 15.7 mg/l - 48 h<br>(OECD Test Guideline 202)  |
| Toxicity to algae                                   | static test EC50 - Pseudokirchneriella subcapitata - 12.3 mg/l - 72 h<br>Remarks: (ECHA)<br><br>static test NOEC - Pseudokirchneriella subcapitata - 4.87 mg/l - 72 h<br>Remarks: (ECHA) |

### 12.2 Persistence and degradability

|                  |   |
|------------------|---|
| Biodegradability | aerobic - Exposure time 28 d<br>Result: 0 % - Not readily biodegradable.<br>Remarks: (HSDB) |
|------------------|---|

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Toxic to aquatic life with long lasting effects.

Discharge into the environment must be avoided.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Contact a licensed professional waste disposal service to dispose of this material.

#### Contaminated packaging

Dispose of as unused product.



---

**SECTION 14: Transport information****DOT (US)**

UN number: 2514 Class: 3 Packing group: III  
Proper shipping name: Bromobenzene  
Reportable Quantity (RQ):  
Poison Inhalation Hazard: No

**IMDG**

UN number: 2514 Class: 3 Packing group: III EMS-No: F-E, S-D  
Proper shipping name: BROMOBENZENE  
Marine pollutant : yes

**IATA**

UN number: 2514 Class: 3 Packing group: III  
Proper shipping name: Bromobenzene

---

**SECTION 15: Regulatory information****SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**SARA 311/312 Hazards**

Fire Hazard, Acute Health Hazard

**Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

**Pennsylvania Right To Know Components**

|              |                     |                             |
|--------------|---------------------|-----------------------------|
| Bromobenzene | CAS-No.<br>108-86-1 | Revision Date<br>1993-04-24 |
|--------------|---------------------|-----------------------------|

---

**SECTION 16: Other information****Further information**

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact [mlsbranding@sial.com](mailto:mlsbranding@sial.com).

Version: 6.2

Revision Date: 01/15/2020

Print Date: 07/30/2022